

Mid-Atlantic/Transition Zone Regional Turf Spray Program

28-Day Tees and Fairways – Cool Season

For tees, greens or fairways, superintendents trust BASF for the most effective high-quality golf solutions. Proven BASF innovations deliver superior performance in all geographical regions and climates, especially during peak stress times. With a specific protocol for each area of the country, the BASF Regional Turf Spray Program is specially designed to provide proven disease control and produce stronger roots, greater stress tolerance, higher resiliency and increased growth efficiency. The result is championship conditions, all year long.

 **BASF**
We create chemistry

Mid-Atlantic/Transition Zone

Delaware, Southern Illinois, Southern Indiana, Kentucky, Southern Ohio, Maryland, Southern Missouri and Virginia

Courses with smaller budgets in this zone can stretch spray applications to 28 days, monitoring between treatments and spraying as needed. Dollar spot and brown patch are the primary diseases, while *Pythium* can become a concern for bentgrass fairways during a stressful summer. Take-all patch, fairy ring and summer patch can also present problems and should receive treatments as well.

28
day program



Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Target Diseases
1 Apr 1	Emerald ® fungicide	Boscalid	0.18 oz	Dollar spot
2 May 1	Xzemplar ® fungicide	Fluxapyroxad	0.26 fl oz	Dollar spot, Summer patch
3 Jun 1	Iprodione	Iprodione	4.0 oz	Dollar spot, Brown patch, Leaf spot
4 Jul 1	Honor ® Intrinsic ® brand fungicide	Pyraclostrobin and Boscalid	1.1 oz	Dollar spot, Brown patch, Summer patch, Fairy ring, Plant health benefits
5 Aug 1	Trinity ® fungicide + Daconil	Triticonazole + Chlorothalonil	1.0 fl oz + 3.2 oz	Dollar spot, Brown patch
6 Sept 1	Xzemplar fungicide	Fluxapyroxad	0.26 fl oz	Dollar spot
7 Oct 1	Emerald fungicide	Boscalid	0.18 oz	Dollar spot

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Claims related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin, as shown.

Always read and follow label directions.

Emerald, Honor, Intrinsic, Trinity and Xzemplar are registered trademarks of BASF. Daconil is a registered trademark of Syngenta Professional Products.
© 2017 BASF Corporation. All Rights Reserved.

RGSP-N13-02/17