

Midwest Regional Turf Spray Program

21-Day Tees and Fairways – Cool Season



For tees, greens or fairways, superintendents trust BASF for the most effective high-quality golf solutions. Proven BASF innovations deliver superior performance in all geographical regions and climates, especially during peak stress times. With a specific protocol for each area of the country, the BASF Regional Turf Spray Program is specially designed to provide proven disease control and produce stronger roots, greater stress tolerance, higher resiliency and increased growth efficiency. The result is championship conditions, all year long.

 **BASF**
We create chemistry

Midwest

Iowa, Illinois, Indiana, Missouri, Ohio

In this four-season area of the country, dollar spot is the predominant challenge on fairways and tees, followed by summer patch, take-all patch and brown patch. Watch for *Pythium*, which may occur if weather conditions are favorable.



21
day program



Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Target Diseases
1 Apr 1	Chipco 26GT	Iprodione	3.0 oz	Pink snow mold, Dollar spot, Leaf spot
2 Apr 21	Emerald® fungicide	Boscalid	0.18 oz	Dollar spot
3 May 15	Insignia® SC Intrinsic® brand fungicide	Pyraclostrobin	0.54 fl oz	Dollar spot, Leaf spot, Summer patch, Plant health benefits
4 Jun 7	Xzemplar® fungicide	Fluxapyroxad	0.21 fl oz	Dollar spot, Summer patch, Brown patch
5 Jul 1	Honor® Intrinsic brand fungicide	Pyraclostrobin and Boscalid	1.1 oz	Dollar spot, Anthracnose, Summer patch, Fairy ring, Brown patch, Plant health benefits
6 Jul 21	Chipco 26GT + Daconil	Iprodione + Chlorothalonil	4.0 oz + 3.2 oz	Dollar spot, Anthracnose, Brown patch
7 Aug 15	Secure	Fluazinam	0.5 oz	Dollar spot Anthracnose, Brown patch
8 Sep 7	Xzemplar fungicide	Fluxapyroxad	0.21 fl oz	Dollar spot, Anthracnose, Summer patch, Fairy ring ¹ , Brown patch
9 Oct 1	Emerald fungicide	Boscalid	0.18 oz	Dollar spot

¹ Subject to a BASF Recommendation under FIFRA 2(ee) for fairy ring in certain states. See www.CDMS.net for BASF Technical Information Bulletin.

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Claims related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin, as shown.

Always read and follow label directions.

Emerald, Honor, Insignia, Intrinsic and Xzemplar are registered trademarks of BASF. 26GT and Chipco are registered trademarks of Bayer. Daconil and Secure are registered trademarks of Syngenta Professional Products.

© 2017 BASF Corporation. All Rights Reserved.

RGSP-N4-02/17