




We create chemistry

New England Regional Turf Spray Program

Tees and Fairways – Cool Season

For tees, greens or fairways, superintendents trust BASF for the most effective high-quality golf solutions. Proven BASF innovations deliver superior performance in all geographical regions and climates, especially during peak stress times. With a specific protocol for each area of the country, the BASF Regional Turf Spray Program is specially designed to provide proven disease control and produce stronger roots, greater stress tolerance, higher resiliency and increased growth efficiency. The result is championship conditions, all year long.





New England

Connecticut, New Hampshire, New York, Massachusetts, Maine, Rhode Island and Vermont

Depending on seasonal weather conditions, heavy disease pressure begins in May and ends around October in this area. Connecticut, Rhode Island and Massachusetts generally bring heavier disease pressure than do Maine, New Hampshire and Vermont in season. On fairways, dollar spot is an issue throughout the season, while *Pythium*, summer patch and fairy ring focus more heavily in the summer months.

21
day program



Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Target Diseases
1 Apr 1	Trinity ® fungicide (No NY)	Triticonazole	1.0 fl oz	Dollar spot, Pink snow mold
2 Apr 21	Emerald ® fungicide + Daconil	Boscalid + Chlorothalonil	0.18 oz + 2.0 oz	Dollar spot
3 May 15	Insignia ® SC Intrinsic ® brand fungicide + Secure	Pyraclostrobin + Fluazinam	0.7 fl oz + 0.5 oz	Dollar spot, Summer patch, Fairy ring, <i>Pythium</i> , Plant health benefits
4 Jun 7	Xzemplar ® fungicide	Fluxapyroxad	0.26 oz	Dollar spot, Brown patch, Summer patch, Fairy ring ¹
5 Jul 1	Honor ® Intrinsic brand fungicide	Pyraclostrobin and Boscalid	1.1 oz	Dollar spot, Summer patch, Fairy ring, <i>Pythium</i> , Plant health benefits
6 Jul 21	Tartan	Trifloxystrobin and Triadimefon	2.0 oz	Dollar spot, Summer patch, Fairy ring
7 Aug 15	Xzemplar fungicide	Fluxapyroxad	0.26 fl oz	Dollar spot, Summer patch, Fairy ring ¹ , <i>Pythium</i>
8 Sept 7	Secure + Chipco 26GT	Fluazinam + Iprodione	0.5 oz + 4.0 oz	Dollar spot, Brown patch, Leaf spot
9 Oct 1	Emerald fungicide + Daconil	Boscalid + Chlorothalonil	0.18 oz + 2.0 oz	Dollar spot, Leaf spot
10 Nov 1	Trinity fungicide (No NY)	Triticonazole	1.0 fl oz	Dollar spot, Snow mold, Leaf spot
11 Dec 1	Insignia SC Intrinsic brand fungicide + Trinity fungicide (No NY) + Iprodione	Pyraclostrobin + Triticonazole + Iprodione	0.7 fl oz + 1.0 oz + 4.0 fl oz	Dollar spot, Snow mold, Plant health benefits

¹ Subject to a BASF Recommendation under FIFRA 2(ee) for fairy ring in certain states. See www.CDMS.net for BASF Technical Information Bulletin.

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Claims related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin, as shown.

Always read and follow label directions.

Emerald, Honor, Insignia, Intrinsic, Trinity and Xzemplar are registered trademarks of BASF. 26GT, Chipco and Tartan are registered trademarks of Bayer. Daconil and Secure are registered trademarks of Syngenta Professional Products.
© 2017 BASF Corporation. All Rights Reserved.