


High Desert and Arid Plains Regional Turf Spray Program

Greens – Cool Season



For tees, greens or fairways, superintendents trust BASF for the most effective high-quality golf solutions. Proven BASF innovations deliver superior performance in all geographical regions and climates, especially during peak stress times. With a specific protocol for each area of the country, the BASF Regional Turf Spray Program is specially designed to provide proven disease control and produce stronger roots, greater stress tolerance, higher resiliency and increased growth efficiency. The result is championship conditions, all year long.

 **BASF**
We create chemistry



High Desert and Arid Plains

Northern Arizona, Colorado, Nevada, New Mexico, Southern Utah and Texas Panhandle

This region is characterized by higher elevation deserts and plains with moderate summer temperatures and low humidity. Winters are cold with windy, dry conditions. The key diseases in this area are dollar spot, summer patch and *Pythium*. Snow mold pressure is variable throughout the region, depending on elevation and snow fall.

14-28
day program



Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Target Diseases
1 Apr 1	Trinity ® fungicide + Daconil	Triticonazole + Chlorothalonil	1.0 fl oz + 3.2 oz	Dollar spot, Leaf spot
2 May 1	Xzemplar ® fungicide	Fluxapyroxad	0.26 oz	Dollar spot
3 Jun 1	Lexicon ® Intrinsic ® brand fungicide	Fluxapyroxad and Pyraclostrobin	0.47 fl oz	Dollar spot, Summer patch, Summer plant health
4 Jul 1	Segway	Cyazofamid	0.9 fl oz	<i>Pythium</i>
5 Aug 1	Lexicon Intrinsic brand fungicide	Fluxapyroxad and Pyraclostrobin	0.47 fl oz	Dollar spot, <i>Pythium</i> , Summer patch, Summer plant health
7 Oct 1	Xzemplar fungicide	Fluxapyroxad	0.26 oz	Dollar spot <i>if needed</i>
8 Oct 15- Nov 1	Insignia ® SC Intrinsic brand fungicide + Trinity fungicide + 26GT + Daconil	Pyraclostrobin + Triticonazole + Iprodione + Chlorothalonil	0.7 fl oz + 1.0 fl oz + 4.0 fl oz + 5.0 fl oz	Snow mold

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Claims related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin, as shown.

Always read and follow label directions.

Insignia, Intrinsic, Lexicon, Trinity and Xzemplar are registered trademarks of BASF. 26GT is a registered trademark of Bayer. Segway is a registered trademark of ISK, Ltd. Daconil is a registered trademark of Syngenta Professional Products.
© 2017 BASF Corporation. All Rights Reserved.